

# MATERIAL SAFETY DATA SHEET

Sunfood PL

Date issued: 01/02/2008

Date revised: 01/02/2008



Directive 91/155/EEC

## 1. IDENTIFICATION OF THE SUBSTANCE / PREPARATION AND OF THE COMPANY

### 1.1 Identification of the substance or preparation:

**Product name:** Sunfood PL

### 1.2 Use of the substance or preparation:

Lubricating spray for the food processing industry

### 1.3 Company/undertaking identification:

Petronas Lubricants Belgium NV  
Ingberthoeveweg 4  
2630 Aartselaar  
Belgium  
Phone: +32 - (0)3 - 458 12 30  
Fax: +32 - (0)3 - 458 14 78  
E-mail address: tcs@sunoco.be

### 1.4 Emergency telephone:

Poisons Centre  
Rue Bruynstraat  
B -1120 Brussel / Bruxelles  
Belgium  
Phone: +32 70 245 245

## 2. HAZARDS IDENTIFICATION

Extremely flammable.

## 3. COMPOSITION / INFORMATION ON INGREDIENTS

Components	EC no	CAS no	Weight %	Symbol	R-phrases
Propane	200-827-9	74-98-6	20 ... 25	F+	12
Butane	203-448-7	106-97-8	12.5 ... 20	F+	12
Isobutane	200-857-2	75-28-5	12.5 ... 20	F+	12
Naphtha (petroleum), hydrotreated heavy	265-150-3	64742-48-9	5 ... 10	Xn	10-65-66
Pentane	203-692-4	109-66-0	5 ... 10	Xn,F+	12-51/53-65-66-67

# MATERIAL SAFETY DATA SHEET

Sunfood PL

Date issued: 01/02/2008

Date revised: 01/02/2008



## 4. FIRST AID MEASURES

### **Inhalation:**

In case of inhalation of fumes, terminate the exposure and go in de fresh air immediately.

### **Ingestion:**

If swallowed, do not induce vomiting; seek medical advice immediately and show this container or label.

### **Skin contact:**

Remove contaminated clothing and wash thoroughly the skin with soap or detergent and water.  
Wash thoroughly the skin with water and soap.

### **Eye contact:**

Flush thoroughly with running water during 15 minutes (including under eyelids).

## 5. FIRE-FIGHTING MEASURES

### **Suitable extinguishing media:**

CO<sub>2</sub> , foam or dry chemicals.

### **Extinguishing media which must not be used for safety reasons:**

Do not use water jet.

### **Special exposure hazards arising from the substance or preparation itself, combustion products, resulting gases:**

Smoke and carbon monoxide may be formed in the event of incomplete combustion.

### **Special protective equipment for fire-fighters:**

Wear an approved autonomous breathing apparatus and protective clothing.

## 6. ACCIDENTAL RELEASE MEASURES

### **Personal precautions:**

Avoid contact with skin and eyes.  
Take off immediately all contaminated clothing.

### **Environmental precautions:**

Prevent this product from entering into contact with surface waters

### **Methods for cleaning up:**

To clean the floor and all objects contaminated by this material, use sand, active clay .

# MATERIAL SAFETY DATA SHEET

Sunfood PL

Date issued: 01/02/2008

Date revised: 01/02/2008



## 7. HANDLING AND STORAGE

### 7.1 Handling

A sufficient ventilation must guarantee an exposure which do not exceed the acceptable limit.

Keep away from combustible material.

Keep away from food, drink and animal feeding stuffs.

Take precautionary measures against static discharges.

### 7.2 Storage

Keep away from sources of ignition - No smoking.

Store in a closed packing and away from heath sources.

Avoid temperatures higehr than 50°C and humidity.

Keep container tightly closed and dry.

### 7.3 Specific use(s)

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

### 8.1 Exposure limit values

Sufficient ventilation should be provided in order to maintain fumes concentration in the air bellow the occupational exposure limit.

### 8.2 Exposure controls

#### 8.2.1 Occupational exposure controls

##### 8.2.1.1 Respiratory protection:

Not applicable

##### 8.2.1.2 Hand protection:

Wear rubber gloves.

##### 8.2.1.3 Eye protection:

Wear safety glasses if eye contact is possible.

##### 8.2.1.4 Skin protection:

Overall, or similar full-body work clothes, gloves and shoes.

#### 8.2.2 Environmental exposure controls

# MATERIAL SAFETY DATA SHEET

Sunfood PL

Date issued: 01/02/2008

Date revised: 01/02/2008



## 9. PHYSICAL AND CHEMICAL PROPERTIES

### 9.1 General information

Appearance: Aerosols  
Odour: Characteristic

### 9.2 Important health, safety and environmental information

pH: Not applicable  
Boiling point / boiling range: Not applicable  
Flash point: <0°C  
Explosive properties: LEL : 0.6 vol % ; UEL : 10.9 vol %

Oxidizing properties: Not applicable  
Vapour pressure: 30000 hPa (22502 mm Hg)  
Relative density: Density : approx 0.649  
Solubility: - water solubility: Fully miscible  
Solubility: - fat solubility (solvent-oil): Soluble in most common solvents  
Partition coefficient (n-octane/water): Not applicable

### 9.3 Other information

Miscibility: Not applicable  
Conductivity: Not applicable  
Melting point / melting range: Not applicable  
Gas group: Not applicable  
Auto-ignition temperature: Product is not selfigniting  
Other data: Organic solvents : 70%

## 10. STABILITY AND REACTIVITY

**10.1 Conditions to avoid:** Keep away from heat sources, open flames and other sources of ignition.

**10.2 Materials to avoid:** Avoid contact with strong oxidants.

**10.3 Hazardous decomposition products:** No decomposition if used according specifications.

# MATERIAL SAFETY DATA SHEET

Sunfood PL

Date issued: 01/02/2008

Date revised: 01/02/2008



## 11. TOXICOLOGICAL INFORMATION

Acute toxicity :

- 106-97-8 Butane

LC50 / 4h 658 mg/l (rat)

- 64742-48-9 Naphtha (petroleum), hydrotreated heavy

Oral LD50 > 15000 mg/kg (rat)

Dermal LD50 > 3000 mg/kg (rat)

LC50 / 4h > 2.8 mg/l (rat)

- 109-66-0 Pentane

Oral LD50 > 16000 mg/kg (rat)

Dermal LD50 > 2500 mg/kg (rat)

> 5000 mg/kg (rabbit)

LC50 / 4h > 100 mg/l (rat)

Inhalation :

Inhalation of oil mist may cause irritation, headaches, nausea and breathing difficulties.

Skin contact :

May be irritating on protracted or repeated exposure.

Eye contact :

May cause irritation/smartering.

Ingestion :

May cause discomfort.

## 12. ECOLOGICAL INFORMATION

### 12.1 Ecotoxicity:

- Aquatic toxicity :

64742-48-9 Naphtha (petroleum), hydrotreated heavy

LC50 / 96h > 100 mg/l (fish)

109-66-0 Pentane

EC50 / 48h 9.7 mg/l (daphnia magna)

### 12.2 Mobility:

Known or predicted distribution to environmental compartments:

Low range of mobility in the soil. Some components can penetrate the soil and cause pollution of the ground water.

Surface tension: Not applicable

Absorption/adsorption: Not applicable

### 12.3 Persistence and degradability:

Not easily biodegradable.

### 12.4 Bio accumulative potential:

Unknown

# MATERIAL SAFETY DATA SHEET

Sunfood PL

Date issued: 01/02/2008

Date revised: 01/02/2008



## 13. DISPOSAL CONSIDERATIONS

Waste disposal methods must comply with national and local disposal or discharge laws.

## 14. TRANSPORT INFORMATION

<b>UN - number:</b>	1950
<b>IMDG</b>	Class : 2.1 Label : 2.1 EMS-number : F-D, S-U Marine pollutant : No Proper shipping name : AEROSOLS
<b>ADR/RID</b>	Class : 2 5F Gases Danger code (Kemler) : 23 Hazard label : 2.1 Description of goods : 1950 AEROSOLS
<b>ICAO/IATA</b>	Class : 2.1 UN/ID Number : 1950 Label : 2.1 Proper shipping name : AEROSOLS, flammable

# MATERIAL SAFETY DATA SHEET

Sunfood PL

Date issued: 01/02/2008

Date revised: 01/02/2008



## 15. REGULATORY INFORMATION

This Safety Data Sheet has been established in accordance with E. C. Directive nr. 91/155/ECC

Danger symbol:



F+

Risk - sentences: 12 – 52/53 – 66  
**R12** Extremely flammable  
**R52/53** Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.  
**R66** Repeated exposure may cause skin dryness or cracking.

Safety - sentences: 2 – 23 – 26 – 46 – 51 – 56  
**2** Keep out of the reach of children.  
**23** Do not breathe aerosols.  
**26** In case of contact with eyes, rinse immediately with plenty of water and seek medical advise.  
**46** If swallowed, seek medical advise immediately and show this container or label.  
**51** Use only in well-ventilated areas.  
**56** Dispose of this material and its container to hazardous or special waste collection point.

Please refer to any other national regulations that may be applicable for this product.

**Other regulatory information:**

**Pressurized container: protect from sunlight and do not expose to temperature exceeding 50°C. Do not pierce or burn, even after use.**  
**Do not spray on a naked flame or any incandescent material. Keep away from sources of ignition – No smoking. Build up explosive mixtures possible without sufficient ventilation. Keep out of the reach of children.**

# MATERIAL SAFETY DATA SHEET

Sunfood PL

Date issued: 01/02/2008

Date revised: 01/02/2008



## 16. OTHER INFORMATION

### Training advice:

### Recommended restrictions on use:

### Further information (written references and/or technical contact point):

R10 : Flammable

R12 : Extremely flammable

R51/53 : Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

R65 : Harmful: may cause lung damage if swallowed.

R66 : **Repeated exposure may cause skin dryness or cracking.**

R67 : Vapours may cause drowsiness and dizziness.

### Source of key data used to compile the data sheet:

### Information added, deleted or revised:

These data are based upon our knowledge at this moment. It is however no guarantee for product properties and do not have a contractual agreement.

The buyer assumes all risk in connection with the use and handling of the material.

The seller assumes no responsibility or liability in connection with the information supplied in this sheet or for any damage or injury caused by the material; reasonable safety procedures should be followed.

The seller assumes no responsibility for injury or damage caused by use of the material, even if reasonable safety procedures are followed.

The information contained in this sheet is developed from what is believed to be accurate and reliable sources but the seller makes no warranties, either expressed or implied and assumes no responsibility for the accuracy or completeness of the data contained herein.